U.S.S.N. 10/031,980

2

## Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

- 1. (Currently Amended) A method of fabricating a waistband comprising the steps of; applying heat and pressure to a layer of woven fabric strands along [[the]] a length of the layer to force [[the]] fabric strands substantially across [[the]] a width of the [[fabric]] layer closer together to impart a semi-permanent stretch into the [[fabric]] layer, simultaneously compressing a layer of synthetic thermoplastic interlining along the layer of the interlining to introduce a compressive shrinkage in the interlining, interposing a dry bonding film between the layer of fabric strands and the layer of interlining to bond and impart stretch to the layers, and bonding the layer of synthetic thermoplastic interlining [[to]], the bonding film, and the [[fabric]] layer of fabric strands together while [[both]] the layers and the film are in the compressed state.
  - 2. 3. (Canceled).
  - 4. (Cancelled).
- 5. (Currently Amended) A method as claimed in claim [[4]] 1 in which the bonding coating or film is a polyurethane material.
  - 6. (Cancelled).
- 7. (Currently Amended) A method as claimed in claim 1 wherein the <u>synthetic</u> interlining material used is a fine woven polyamide or polyester fabric.
- 8. (Currently Amended) A method as claimed in claim 1 wherein a standard rigid fusible non-woven or other relatively right knitted material is processed in narrow width form with a stretch waistband fabric the layers to produce a laminate which has stretch characteristics in the length direction.
- 9. (Currently Amended) A method as claimed in claim [[9]] 8, wherein the stretch fabric laminate is tensioned during processing with the synthetic thermoplastic

Docket No.: 65,008-034

U.S.S.N. 10/031,980

3

interlining so that [[it]] the laminate is compressively 'shrunk' back to its original dimensions.

10. (Currently Amended) A waistband comprising; a <u>fabric</u> layer of woven fabric strands that is a non-synthetic textile material which cannot normally be permanently set by heat alone in a compressed state along and across [[the]] <u>a</u> width of the fabric layer to force the fabric strands closer together to impart a generally semi-permanent stretch into the fabric layer, a layer of synthetic interlining of a thermoplastic that can be heat set and in a compressed state along the layer of the interlining to introduce a compressive shrinkage in the interlining, <u>a dry bonding film interposed between said fabric layer and said layer of interlining to bond and impart stretch to said layers</u>, said layer of synthetic thermoplastic interlining being bonded to said fabric layer <u>through said dry bonding film</u> to maintain both layers in the compressed state.

## 11. - 12. (Canceled).

- 13. (Currently Amended) A fabric set as set forth in claim 10 wherein the synthetic interlining material comprises a fine woven fabric.
- 14. (Currently Amended) A fabric as set forth in claim 10 wherein said <u>synthetic</u> interlining <del>material</del> comprises one of a polyamide and a polyester.
- 15. (Currently Amended) A method of treating a woven fabric strip to produce a stretchable fabric combination which comprises the steps of:
- (a) passing the strip lengthwise through a fabric treatment apparatus, the fabric treatment apparatus applying pressure to the fabric strip along [[its]] a length of the fabric strip and also heat in such a manner that [[the]] yarn strands substantially across [[the]] a width of the fabric strip are forced closer together thus imparting generally semi permanent stretch into the fabric strip; and
- (b) simultaneously passing a synthetic interlining fabric through said apparatus thereby applying a compressive shrinkage thereto;
  - (c) interposing a dry bonding film between the fabric strip and the synthetic

Douket No.: 65,008-034

U.S.S.N. 10/031,980

A

## interlining fabric, and

[[(c)]] (d) at least partially bonding the woven fabric strip, [[to]] the bonding film, and the synthetic interlining fabric together.

Docket No.: 65,008-034